

Studio 440

Operation Manual

ZEQUENTIAL

STUDIO 440 DRUMS / SAMPLER / SEQUENCER

OPERATION MANUAL

by

Stanley Jungleib

Sequential/Europe Postbus 16 3640 AA Mijdrecht The Netherlands INT.31.2979.86211 Telex: 12721 SQNTL NL Sequential 3051 North First Street San Jose, CA 95134-2093 U.S.A. (408) 946-5240 Telex: 4997150 SEQCIR

Acknowledgements

For assistance with the factory samples:

R. O. Studios, 3359 Walnut Ave Concord, California 94519 (415) 676-7237

Every attempt at accuracy has been made. However, specifications and operations are subject to change without notice.

©1987 by SEQUENTIAL All rights reserved. Printed in U.S.A.

No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher.

	title	page
SECTION 1	BASIC OPERATION	
	1.0 INSTANT GRATIFICATION	1-1
	1.0.1 Setting Up	1-1
	1.0.2 Playing Sounds	1-1
	1.0.3 Loading Factory Sequences and Songs	1-2
	1.0.4 Playing Sequences and Songs	1-3
	1.0.5 Overdubbing	1-3
	1.0.6 Recording a New Sequence (Real-Time)	1-3
	1.0.7 Building a Song	1-4
	1.0.8 Manual Sampling	1-4
	1.0.9 Sampling Using Automatic Recording	1-5
	1.0.10 Continuing	1-6
	1.1 INSTALLATION	1-8
	1.1.1 Handling and Placement	1-8
	1.1.2 Sound System Considerations	1-9
	1.1.3 Audio Connections	1-11
	1.1.4 SAMPLE/TRIGGER IN Jack	1-12
	1.1.5 FOOTSWITCH Jacks	1-12
	1.1.6 MIDI Jacks	1-13
	1.1.7 TERMINAL/SYNC Jacks	1-13
	1.1.8 SMPTE/CLOCK Jacks	1-13
	1.1.9 SCSI INTERFACE Jack	1-14
	1.1.10 About Grounding and Ground Loops	1-14
	1.1.11 Line Voltage Selection and Fusing	1-15
	1.2 PLAYING FACTORY SOUNDS	1-17
	1.2.1 Loading Factory Sounds	1-17
	1.2.2 Volume Control	1-18
	1.2.3 Selecting Sounds	1-18
	1.2.4 Performance Controls	1-20
	1.2.5 Level	1-20
	1.2.6 Pitch	1-20
	1.2.7 Pan	1-21
	1.2.8 Alternate Parameters	1-21
	1.2.9 Pad Sensitivity	1-21
	1.2.10 Display Lighting and Trim	1-22

1.3 FUNCTIONS AND DATA ENTRY 1.3.1 Groups, Functions, Fields, and Values 1.3.2 Data Entry Methods	1-23 1-23 1-24
1.4 PLAYING SEQUENCES OR SONGS 1.4.1 Loading Sequences and Songs 1.4.2 Sequence or Song Number 1.4.3 Starting Playback and Stopping 1.4.4 Setting Tempo 1.4.5 Pause 1.4.6 Rewind and Fast-Forward	1-26 1-26 1-27 1-27 1-28 1-29 1-29
1.5.1 Recording a Drum Pattern in Real Time1.5.2 Recording Defaults and Options1.5.3 Auto Repeat	1-31 1-33 1-34 1-35 1-35 1-36 1-37 1-38 1-39
1.6 BASIC DISK OPERATION 1.6.1 Formatting New Disks 1.6.2 Saving and Comparing 1.6.3 Directory	1-41 1-41 1-42 1-43
1.7 BUILDING KITS 1.7.1 Definitions 1.7.2 Kit-building Example	1-44 1-44 1-45
1.8 BASIC SAMPLING 1.8.1 Size/Rate 1.8.2 Manual Recording 1.8.3 Automatic Recording 1.8.4 Selecting Sample Rates in Record Mode 1.8.5 Sample Processing	1-49 1-49 1-50 1-52 1-53 1-54
1.9 BASIC MIDI OPERATION 1.9.1 MIDI Real Time Output 1.9.2 Sequencing External Synthesizers/Modules 1.9.3 Transferring Sequences and Patterns 1.9.4 Keyboard Kits 1.9.5 Mapped Mode	1-55 1-55 1-55 1-57 1-61 1-65
1.10 BASIC SMPTE OPERATION 1.10.1 Striping the Tape 1.10.2 Setting the Start Time 1.10.3 Resyncing to Audio or Video	1-69 1-69 1-70 1-72

SECTION 2 SYSTEM

2.0 OVERVIEW OF THIS SEC		2-1
		2-2 2-2 2-3 2-3 2-5 2-6
2.2 MIDI 2 2.2.1 Velocity 2.2.2 Volume 2.2.3 Hold Pedal 2.2.4 Song Select 2.2.5 Data Trans		2-8 2-8 2-8 2-8 2-9 2-9
2.3 INPUTS 2.3.1 Footsw 1 2.3.2 Footsw 2 2.3.3 Trigger In 2.3.4 Trig Thresholds		2-10 2-10 2-11 2-11 2-12
2.4 DISK 2.4.1 Load 2.4.2 Save/Compare 2.4.3 Directory 2.4.4 Load One 2.4.5 Format		2-13 2-19 2-20 2-20 2-20 2-21
2.5 KITS 2.5.1 Build 2.5.2 Copy Pads 2.5.3 Replace 2.5.4 Clear		2-22 2-22 2-23 2-23 2-23
2.6 CLOCKS 2.6.1 In 2.6.2 Out 2.6.3 FPB/BPM	SONG Suite SONG Sold Sold Sold Sold Sold Sold Sold Sold	2-25 2-28 2-29 2-29
2.7 SMPTE 2.7.1 Start 2.7.2 Type 2.7.3 Time Display 2.7.4 Varispeed	1.5.3 One to Seq F.E.1 I. race M.S.7 Transpose J.A.3 Chone Rog	2-31 2-31 2-32 2-32 2-32
2.8 COUNT/TAP 2.8.1 Method 2.8.2 Count-In		2-33 2-33 2-33

	2.9 MIDI SPECIFICATION 2.9.1 Channel 2.9.2 System Common 2.9.3 System Real-Time 2.9.4 System Exclusive 2.9.5 MIDI Time Code Det	2-40 2-42	
SECTION 3	SEQUENCER		
	3.0 OVERVIEW OF THIS SECT	TION (2 2 2 2 2 3 - 1	
	3.1 SET UP 3.1.1 Time Sig 3.1.2 Length 3.1.3 Repeat	3-2 3-2 3-3 3-3	
	3.1.4 Name	3-4	
	3.1.5 Memory Status	3-4	
	3.2 RECORD 1 3.2.1 Track 3.2.2 Autocorrect	3-6 3-6 3-7	
	3.2.3 Swing 3.2.4 Metronome	3-8 3-8	
	3.3 RECORD 2 3.3.1 Punch In 3.3.2 Punch Out 3.3.3 Work Loop 3.3.4 Mute	3-10 3-10 3-10 3-11 3-12	
	3.4 TIMING 3.4.1 Tempo 3.4.2 Record Tap 3.4.3 Edit Tap 3.4.4 MIDI Timing Offset	3-13 3-13 3-14 3-16 3-17	
*	3.5 SONG 3.5.1 Build 3.5.2 Clear 3.5.3 Dub to Seq	3-18 3-19 3-20 3-20	
	3.6 EDIT 1 3.6.1 Erase 3.6.2 Transpose 3.6.3 Channelize 3.6.4 Replace	3-21 3-21 3-22 3-23 3-23	
	3.6.5 Vel Scale	3-24	

	3.7 EDIT 2 3.7.1 Delete 3.7.2 Copy 3.7.3 Insert		3-25 3-25 3-25 3-26
	3.7.4 Rotate 3.7.5 Bounce		3-26 3-27
	3.8 PLAYBACK 3.8.1 Seq/Song 3.8.2 Cue		3-28 3-28 3-28
SECTION 4	SOUND EDITING		
SECTION 4			
	4.0 INTRODUCTION		4-1
	4.1 SAMPLE		4-14
	4.1.1 Size/Rate		4-19
	4.1.2 Record		4-25
	4.1.4 Name		4-29
	4.2 EDIT 1 may 8 11 doctor		
	4.2.1 Start/End		4-30
	4.2.2 Loop Type		4-34
	4.2.3 Loop Points		4-39
	4.2.4 Xfade Loop		4-40
	4.2.5 Direction		4-41
	4.3 EDIT 2		4-43
	4.3.1 Delete		4-43
	4.3.2 Recover Memory		4-43
	4.3.3 Copy/Append		4-44
	4.3.4 Mix		4-46
	4.3.5 Scale	mos autorist Mary	4-47
	4.4 OUTPUT		4-49
`>	4.4.1 Audio Outs		4-49
	4.4.2 Pan		4-50
	4.4.3 Pitch/Pan		4-50
	4.5 ATTACK		4-51
	4.5.1 Rate		4-51
	4.5.2 Pitch Track		4-52
	4.5.3 Velocity		4-52
	4.5.4 Start Mod		4-53
	4.6 SUSTAIN		4-54
	4.6.1 Time		4-54
	4.6.2 Env Amount		4-55
	4.6.3 Velocity		4-55
	4.6.4 Pitch Track		4-57
	4.6.5 Cutoff		4-57

4.7 RELEASE	4–59
4.7.1 Rate	4-59
4.7.2 Pitch Track	9900 5.7.6 4-60
4.7.3 Velocity	4-60
•	
4.8 BEND	4-62
4.8.1 Depth/Rate	4-62
4.8.2 Velocity	4-62
4.8.3 Pitch Track	4-63
4.8.4 Mode	4-63

LIST OF FIGURES

1-1 Panel-to-Manual Paragraph Reference	1-7
1-2 Keyboard Control of Pads	1-63
1-3 Mapping Example	1-67
4-1 ADC, DAC, and Voice Block Diagram	4-3
4-2 Sample Editing	4-31

LIST OF TABLES

1-1 Factory Performance Sounds ("Drums")	1-19
1-2 Kit Definition Form	1-48
4-1 Sound Definition Form	4-12

3

	3.7 EDIT 2 3.7.1 Delete 3.7.2 Copy 3.7.3 Insert 3.7.4 Rotate		3-25 3-25 3-25 3-26 3-26
	3.7.5 Bounce		3-27
	3.8 PLAYBACK		3-28
	3.8.1 Seq/Song		3-28
	3.8.2 Cue		3-28
SECTION 4	SOUND EDITING		
	4.0 INTRODUCTION		4-1
	4.1 SAMPLE		4-14
	4.1.1 Size/Rate		4-19
	4.1.3 Tune		4-28
	4.1.4 Name		
	4.2 EDIT 1 mangett docte		4-30
	4.2.1 Start/End		
	4.2.2 Loop Type		4-34
	4.2.3 Loop Points		4-39
	4.2.4 Xfade Loop		4-40
	4.2.5 Direction		4-41
	4.3 EDIT 2		4-43
	4.3.1 Delete		4-43
	4.3.2 Recover Memory		4-43
	4.3.3 Copy/Append		4-44
	4.3.4 Mix		
	4.3.5 Scale	mio a noise and his i-	4-47
			4-49
.>	4.4.1 Audio Outs		4-49
	4.4.2 Pan		4-50
	4.4.3 Pitch/Pan		4-50
	4.5 ATTACK		4-51
	4.5.1 Rate		4-51
	4.5.2 Pitch Track		4-52
	4.5.3 Velocity		4-52
	4.5.4 Start Mod		4-53
	4.6 SUSTAIN		4-54
	4.6.1 Time		4-54
	4.6.2 Env Amount		4-55
	4.6.3 Velocity		4-55
	4.6.4 Pitch Track		4-57
	4.6.5 Cutoff		4-57

"DON'T PANIC!"

-- The Hitchhiker's Guide to the Galaxy

FOR BRIEF OPERATION INSTRUCTIONS, SEE "INSTANT GRATIFICATION," AT THE FRONT OF THE MANUAL.

We don't mind admitting that the Studio 440 is the most complex device that Sequential has designed. Together in one package you have a state-of-the-art sampler and a state-of-the-art sequencer. Sure, you can load factory samples and be recording sequences in two minutes. Instant gratification is one thing; but skilled use is another. Even in a conservative application as a stand-alone unit, the Studio 440 is fully capable of producing music of symphonic proportions. The functional display system provides several hundred editable data fields which can be called upon to shape your creative work. It should therefore go without saying, and without embarrassment or surprise on anyone's part, that it may take a week or so of patiently working on the Studio 440 with the manual at hand for anyone to become comfortable and proficient with the instrument.

The Studio 440 is the result of thousands of hours of detailed discussion about what an electronic musician might want to be able to do tomorrow. The instrument has been optimized towards flexibility. We have generally chosen to include and add as many features as possible, as opposed to limiting useful options just for the sake of simplicity. As a result, the Studio 440 control system does expect a certain level of experience and mindfulness in the user.

If the manual seems wrong or a consistent operational problem persists, the first thing to do is to contact your music instrument dealer. The chances are excellent that they have heard your question before and know the answer, or, if not, they may have recent information from Sequential which applies to your situation. With a good collection of demo instruments on hand, the store should be able to duplicate the essentials of your application, and help clarify the operations required.

Failing that, you'll probably call our Customer Service department. Please have your serial number and the manual at hand. It is always helpful to have the instrument switched on and disks loaded, too. Describe what you want to do and exactly how you have been trying to do it. We'll get you back on track.